

# ANHUI WUHU FILTER MATERIAL CO., LTD.

Professional Industrial Filtration Manufacturer Since 2016



Your Trusted Source for Industrial Filtration

**18,000**

m<sup>2</sup> Factory Area

**16**

Production Lines

**67**

Employees

**30+**

Enterprise Clients

**Contact:** [wu.filter2026@outlook.com](mailto:wu.filter2026@outlook.com) | **WhatsApp:** +86 183 6731 3669 | **LinkedIn:**  
[linkedin.com/in/wanhong-liu-filter](https://www.linkedin.com/in/wanhong-liu-filter)

# High Flow Pleated Filter Cartridges

Compatible with Pall, Parker, 3M standard housings



Parameter	Options
<b>Filter Media</b>	PP (Polypropylene) / PBT + Glass Fiber / PBT + PTFE Membrane
<b>Micron Rating</b>	0.5 $\mu$ m, 1 $\mu$ m, 3 $\mu$ m, 5 $\mu$ m, 10 $\mu$ m, 25 $\mu$ m, 40 $\mu$ m, 100 $\mu$ m, 200 $\mu$ m
<b>Length</b>	40" (1016mm) — our standard size   Other lengths negotiable for large orders
<b>Outer Diameter</b>	6" (152mm) / 6.5" (165mm)
<b>Flow Rate (40" length)</b>	PP 50 m <sup>3</sup> /h   PBT+Glass Fiber 70 m <sup>3</sup> /h   PBT+PTFE 60 m <sup>3</sup> /h
<b>Max Operating Temp</b>	PP 80°C   PBT+Glass Fiber 120°C   PBT+PTFE 80°C
<b>End Cap Connection</b>	Code 7 / Code 8 / Flange / Custom
<b>MOQ</b>	10 pcs (first order) / 50 pcs (reorder)

## Applications

Water Treatment

Desalination Pre-filtration

Chemical Processing

Petrochemical

Power Plant

Food & Beverage

# Liquid Filter Bags

Daily capacity: 2,000–3,000 bags



Parameter	Options
<b>Filter Media</b>	PP (Polypropylene) / PE (Polyester Felt)
<b>Micron Rating</b>	0.5µm, 1µm, 5µm, 10µm, 25µm, 50µm, 75µm, 100µm, 150µm, 200µm
<b>Standard Sizes</b>	<ul style="list-style-type: none"><li>• Size #1: 180 × 430 mm — <i>most common for Middle East projects</i></li><li>• Size #2: 180 × 810 mm</li></ul> Other custom sizes available for larger quantity orders — contact us to discuss.
<b>Ring Options</b>	Stainless Steel / Galvanized Steel / PP Inner-flange / PP Outer-flange
<b>Seam Type</b>	Sewn / Welded (no fiber migration)
<b>Max Operating Temp</b>	PP 90°C   PE (Polyester) 135°C
<b>MOQ</b>	50 pcs (first order) / 100 pcs (reorder)

## Applications

Water Treatment

Coating & Ink

Electroplating

Chemical Liquid

Oil & Gas

Food Processing

# Why Choose Us

---

**18,000 m<sup>2</sup>**

Factory Area

**16 Lines**

Automated Production

**67**

Skilled Workers

**ISO 9001**

Certified

**30+**

Enterprise Clients

**Since 2016**

Established

- ✓ Own factory with full in-house QC lab (SEM and laser particle counter)
- ✓ Compatible with Pall, Parker, 3M standard housings
- ✓ Stable lead time: 7–15 days for standard orders
- ✓ Sample support available before bulk order
- ✓ Own export license — direct FOB pricing
- ✓ Serving listed chemical and dairy companies in China

## Get in Touch

**WhatsApp:** +86 183 6731 3669 *(fastest reply)*

**Email:** wu.filter2026@outlook.com

**LinkedIn:** [linkedin.com/in/wanhong-liu-filter](https://www.linkedin.com/in/wanhong-liu-filter)

**Company:** Anhui Wuhu Filter Material Co., Ltd.

**Location:** Taihe County, Fuyang, Anhui Province, China

Send us your requirements — micron rating, size, connection type, application — and we'll confirm specs and quote within 24 hours.